

SAFETY DATA SHEET

SDS REVISION DATE: March 6, 2023

Product ID: GMS1111G

GMS Industrial Supply, Inc. 212 Denn Lane, Virginia Beach, VA 23462 (855) GRN-OGER • www.GreenOger.com

0005

24-Hour Emergency Telephone: 1-800-424-9300 CHEMTREC

SECTION 1 - IDENTIFICATION

Product identifier used on the label: Green Oger Jr. Bio GMS1111G

Other means of Identification: All Surface Cleaner

NSN: 7930-01-671-7443

Recommended use of the chemical and restrictions on use: For professional use only.

Manufacturer/Supplier:

GMS Industrial Supply Inc. 212 Denn Lane Virginia Beach, VA 23462

Telephone: 757-473-1467 **Fax:** 757-337-3734

24-Hour Emergency Telephone Number: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION

Classification of the chemical:

Eye Damage/Irritation 2A

Label elements:

Signal Word: Warning

Hazard statement(s) H319

Causes serious eye irritation

Precautionary statement(s)

P264	Wash exposed areas thoroughly after handling
	Wear protective gloves/protective clothing/eye protection/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P305+351+338	lenses if present and easy to do – continue rinsing
P337+313	If eye irritation persists get medical advice/attention
P501	Dispose of contents/container in accordance with local regulation

Hazard pictogram(s)



Unknown Acute Toxicity: 0%

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name, Common Name & Synonyms:	CAS #	Concentration %
Soda Carbonate	497-19-8	0.1-1
SODIUM GLUCONATE	527-07-1	0.1-1
Sodium Bicarbonate	144-55-8	0.1-1
ALCOHOLS ETHOXYLATED	NJTS-257946-01	1-5
Eucalyptus Fragrance	Mixture	0.1-1
Dye	Mixture	0.1-1
5-Chloro-2-methyl-4-isothiazolin-3-one (1.1-1.4%), 2-Methyl-4-isothiazolin-3-one (0.3-0.5%), Magnesium Chloride (1.0-1.2%), Magnesium nitrate (1.4-2.0%), Copper nitrate (1500-1700ppm), Water (95-97%)	26172-55-4 (1.1-1.4%)/2682-20-4 (0.3-0.5%)/7786-30-3 (1.0- 1.2%)/10377-60-3 (1.4-2.0%)/3251- 23-8 (1500-1700 ppm)/7732-18-5 (95-97%)	<0.1

** If the chemical name/CAS # is "proprietary" and/or the weight % is shown as a range, this information had been withheld as a trade secret.

SECTION 4 - FIRST-AID MEASURES

Description of first aid measures:

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs get medical advice/attention. Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

Most Important symptoms and effects, both acute and delayed: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Not determined

Special hazards arising from the substance or mixture: None known

Flammability classification: Not flammable

Hazardous combustion products: Carbon oxides, oxides of phosphorus other unidentified organic compounds.

Special protective equipment and precautions for firefighters:

Protective equipment for fire-fighters: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Dike for water control.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spilt/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Methods and material for containment and cleaning up: Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Ventilate the area. Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Do not use combustible absorbents, such as sawdust. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

Special spill response procedures: In case of a transportation accident, contact Infotrac 1-800-535-5053 (North America), 011-1-352-323-3500 (International). If a spill/release in the US in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Use protective equipment recommended in section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

Conditions for safe storage: Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep out of reach of children.

Incompatible materials: Oxidizing agents. Do not mix with other chemicals or cleaners

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:						
					OSHA PEL	
Chemical Name	CAS #	TWA	STEL	PEL	STE	
Sodium Carbonate	497-19-8					
SODIUM GLUCONATE	527-07-1					
Sodium Bicarbonate	144-55-8					
ALCOHOLS, C7-C21, ETHOXYLATED	NJTS-257946-01					
2-Methyl-4-isothiazolin-3-one (0.3-0.5%), Magnesium Chloride (1.0-1.2%), Magnesium nitrate	26172-55-4 (1.1-1.4%)/2682-20-4 (0.3-0.5%)/7786-30-3 (1.0- 1.2%)/10377-60-3 (1.4-2.0%)/3251- 23-8 (1500-1700 ppm)/7732-18-5 (95-97%)					

Exposure controls:

Ventilation and engineering measures: Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection: If airborne concentrations are above the permissible exposure limit or arc not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134). Advice should be sought from respiratory protection specialists.

Skin protection: Wear protective gloves. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective regimes.

Eye face protection: Wear eye/face protection. Wear as appropriate tightly fitting safety goggles; Safety glasses with side-shields.

Other protective equipment: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations: Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear blue liquid

Odor: Floral

Odor threshold: No applicable information available

pH: 9.5-10.4

Melting/Freezing point: No applicable information available

Initial boiling point and boiling range: 100 C

Flash point: No applicable information available

Flashpoint (Method): No applicable information available

Evaporation rate (BuAe = 1): Similar to water

Flammability (solid, gas): Not flammable

Lower flammable limit (% by vol.): Not Flammable

Upper flammable limit (% by vol.): Not Flammable

Vapor pressure: No applicable information available

Vapor density: No applicable information available

Relative density: 1.025

Solubility in water: Soluble

Other solubility(ies): No applicable information available

Partition coefficient: No applicable information available

Auto ignition temperature: No applicable information available

Decomposition temperature: No applicable information available

Viscosity: Water thin.

Volatile organic Compounds (%VOC's): 0 g/L

Other physical/chemical comments: No applicable information available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Not normally reactive

Chemical stability: Stable

Possibility of hazardous reactions: No hazardous polymerization

Conditions to avoid: Keep out of reach of children. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.

Incompatible materials: Fluorine, strong oxidizing or reducing agents, bases, metals, sulfur trioxide, phosphorus pentoxide

Hazardous decomposition products: None known. Refer to 'Hazardous Combustion Products' in Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry - inhalation: Avoid breathing vapors or mists

Routes of entry - skin & eye: Avoid contact with skin or eyes

Routes of entry - Ingestion: Do not taste or swallow

Potential Health Effects:

Signs and symptoms of short term (acute) exposure:

Symptoms: Please see section 4 of this SDS sheet for symptoms.

Potential Chronic Health Effects:

Mutagenicity: Not expected to be mutagenic in humans.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects: No applicable information available

Sensitization to material: No applicable information available

Specific target organ effects: No data available to indicate product or components will have specific target organ effects.

Medical conditions aggravated by overexposure: Pre-existing skin or eye disorders.

Toxicological data:

See the following table for individual ingredient acute toxicity data.

Chemical name	CAS #	LD ₅₀	LD ₅₀	LC ₅₀
		(Oral, rat)	(Dermal. Rabbit)	(4hr, Inhal., rat)
Sodium Carbonate	497-19-8	4090		
SODIUM GLUCONATE	527-07-1	2001	2001	
Sodium Bicarbonate	144-55-8	4220		
ALCOHOLS, C7-C21, ETHOXYLATED	NJTS-257946-01	2000		
5-Chloro-2-methyl-4- isothiazolin-3-one (1.1-1.4%), 2-Methyl-4-isothiazolin-3-one (0.3-0.5%), Magnesium Chloride (1.0-1.2%), Magnesium nitrate (1.4-2.0%), Copper nitrate (1500- 1700ppm), Water (95-97%)	26172-55-4 (1.1- 1.4%)/2682-20-4 (0.3-0.5%)/7786- 30-3 (1.0- 1.2%)/10377-60-3 (1.4-2.0%)/3251- 23-8 (1500-1700 ppm)/7732-18-5 (95-97%)	3310	5001	0.33

*All empty cells no applicable information available

Other important toxicological hazards: None reported.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: No applicable information available.

Persistence and degradability: No applicable information available

Bioaccumulation potential: No applicable information available.

Mobility in soil: No applicable information available.

Other Adverse Environmental effects: No applicable information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste UN defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 - TRANSPORTATION INFORMATION

SECTION 15 - REGULATORY INFORMATION

Occupational Health and Safety Regulations:

WHMIS 1988 Class: D2B.

OSHA & WHMIS 2015: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Product Act).

Environmental Regulatory Lists:

SARA – Section 313 (Toxic Chemical Release Reporting) 40 CFR 372 – None of these ingredients are listed.

CERCLA - Section 102 (Reportable Quantity) 40 CFR 302 - None of these ingredients are listed.

RCRA 40CFR 261 (SUBPART D) – None of these ingredients are listed.

CLEAN WATER ACT - Section 311 (Reportable Quantity) 40 CFR 116 - None of these ingredients are listed.

CLEAN AIR ACT - Section 312 (List of Hazardous Air Pollutants) 40 CFR 63 (Subpart C) - None of these ingredients are listed.

National Pollutant Release Inventory - None of the ingredients are listed.

Toxic Substances Control Act (TSCA) - All the ingredients are registered on the Chemical Substance Inventory.

Canadian Domestic Substance List (DSL) - All the ingredients are registered on the DSL.

SECTION 16 - OTHER INFORMATION

Legend:

ACGIH: American Conference of Governmental Industrial Hygienists **CAS:** Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations **DOT:** Department of Transportation ECOTOX: U.S. EPA Ecotoxicology Database EPA: Environmental Protection Agency IARC: International Agency for Research on Cancer LC: Lethal Concentration LD: Lethal Dose NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OECD: Organization for Economic Co operation and Development **OSHA:** Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act SDS: Safety Data Sheet Material Safety Data Sheet STEL: Short Term Exposure Limit TLV: Threshold Limit Values TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Revision Date: March 6, 2023