

SAFETY DATA SHEET

SDS REVISION DATE: 3/5/2025

Product ID: GMS2305, GMS2305LB, GMS2305LB100

FIGURE ID. GWISZSUS, GWISZSUSED, GWISZSUSED IUC

24 Hour Emergency Telephone: (800) 424-9300 CHEMTREC

212 Denn Lane, Virginia Beach, VA 23462 (855) GRN-OGER • www.GreenOger.com

GMS Industrial Supply, Inc.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1. Identification

0016

Product Name: Suc It Up Absorbent

Product Number: GMS2305, GMS2305LB, GMS2305LB100

Identified uses: Industrial Use
Uses advised against: None Known

GMS Industrial Supply, Inc.

212 Denn Lane

Virginia Beach, VA 23462

Customer Service Telephone Number: (757) 473-1467

24-Hour Emergency Phone Number: CHEMTREC 1-800-424-9300

Nanoform.

This SDS covers all alphanumeric suffixes for the following products. Suffixes designate location of manufacture, dusting agent, product form. * The Nanoform statement and infomation regarding Silica, amorphous which is listed in Sections 1 and 3 are applicable ONLY when these grades contain silica as a dusting agent (2nd suffix S). * Synthetic amorphous silica is a nanostructured material according to the definition of ISO TS 80004-1 and as defined in Regulation 2011/696/EU, as amended. * The silica dusting agent is composed of primary particles with a median size < 100 nm which are present as aggregates and agglomerates with a mean diameter scale range above 100 nm in the dusting agent used.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Styrene-Ethylene/Butylene-Styrene Polymer (SEBS)

Hazard pictograms None. Signal word None.

Hazard statements Not applicable.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Static charge accumulation

potential.

1 / 12

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene-Ethylene/Butylene-Styre Polymer (SEBS)	ne <100	66070-58-4 -	-	-	
Classifica	tion: -				
Silica, amorphous	<1	7631-86-9 231-545-4	-	-	
Classifica	tion: -				

Nanoform

Silica, amorphous

Particle size >0,1 µm Agglomerates

Particle size distribution 0 Not available Mass mean diameter 0 Not available

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contactWash off with soap and water. Get medical attention if irritation develops and persists. **Eye contact**Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Dusts may irritate the respiratory tract, skin and eyes. Prolonged contact may cause dryness of the skin.

Treat symptomatically. No specific antidotes are recommended.

SECTION 5: Firefighting measures

General fire hazards Static charges generated by emptying package in or near flammable vapour may cause flash fire.

5.1. Extinguishing media

Suitable extinguishing

media

Water spray, dry chemical, carbon dioxide.

Unsuitable extinguishing

media

Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Wear suitable protective equipment. Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment. If spilled, may cause a slipping hazard.

For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Avoid the generation of dusts during clean-up. The product is immiscible with water and will spread

on the water surface.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation, Avoid heat, sparks, open flames and other ignition sources. Do not smoke. Static electricity and formation of sparks must be prevented. Ground container and transfer equipment to eliminate static electric sparks. Maintain a fire watch if material reaches 280°C (536°F). Avoid contact with hot material. Do not breathe dust from this material. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store indoor, Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. To maintain product quality, do not store in heat or direct sunlight. Keep in a cool, well-ventilated place. Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Guard against dust accumulation of this material. Use care in handling/storage. Do not stack Flexible Intermediate Bulk Containers (FIBCs) or palletised bags. Avoid storage under pressure or at elevated temperatures to minimise particulate clustering. Do not store outside. Care should be taken when storing and handling this product. Apart from the specific nature of the polymer product, conditions such as humidity, sunlight and temperature have an influence on the way the product behaves during storage and handling. Special attention should be paid to avoid inappropriate stacking of palletised bags or other package units. Indeed, polymer products may be

dimensionally unstable under certain conditions.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

Austria MAK List OFL Ordinanas (OsA), BORL II na 404/0004

8.1. Control parameters

Occupational exposure limits

Components Type		Value	Form	
Silica, amorphous (CAS 7631-86-9)	MAK	4 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.	
		10 mg/m3	Respirable fraction.	
Additional components	Туре	Value	Form	
Inorganic Dust	MAK	5 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.	
		10 mg/m3	Respirable fraction.	
Organic Dust	MAK	5 mg/m3	Respirable fraction.	
		10 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.	
		10 mg/m3	Respirable fraction.	

Components	Туре	Value	Form
Silica, amorphous (CAS 631-86-9)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Additional components	Туре	Value	Form
norganic Dust	TWA	10 mg/m3	
Organic Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Bulgaria. OELs. Regulation No 13 on p Components	rotection of workers aga Type	inst risks of exposure to chen Value	nical agents at work Form
•	TWA		Inhalable fraction.
Silica, amorphous (CAS '631-86-9)	IVVA	4 mg/m3	innalable traction.
,		0,07 mg/m3	Respirable fraction.
Additional components	Туре	Value	Form
norganic Dust	TWA	1 fibers/cm3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
		10 mg/m3	
Organic Dust	TWA	10 mg/m3	Dust.
Croatia. OELs (GVI). Regulation on Pro	tection of Workers again	st Exposure to Dangerous Ch	nemicals at Work, OELs a
Biological Limit Values, Annex I (NN 91 Components		Value	Form
Silica, amorphous (CAS	MAC	6 mg/m3	Total dust.
631-86-9)	WAC	o mg/ms	iotai dust.
		0,1 mg/m3	Respirable dust.
Additional components	Туре	Value	Form
norganic Dust	MAC	4 / 0	Desminable dust
norganio Dust	IVIAC	4 mg/m3	Respirable dust.
norganio Dust	WAC	4 mg/m3 10 mg/m3	Total dust.
•		10 mg/m3	Total dust.
Cyprus. OELs. Control of factory atmos		10 mg/m3	Total dust.
Cyprus. OELs. Control of factory atmos Components Silica, amorphous (CAS	sphere and dangerous s	10 mg/m3 ubstances in factories regulat	Total dust.
Cyprus. OELs. Control of factory atmos Components Silica, amorphous (CAS 7631-86-9)	sphere and dangerous so Type TWA	10 mg/m3 ubstances in factories regulat Value	Total dust.
Cyprus. OELs. Control of factory atmos Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De	sphere and dangerous so Type TWA	10 mg/m3 ubstances in factories regulat Value	Total dust.
Cyprus. OELs. Control of factory atmos Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components	sphere and dangerous so Type TWA cree 361	10 mg/m3 ubstances in factories regulat Value 2 mg/m3	Total dust. ion, PI 311/73, as amende
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9)	sphere and dangerous so Type TWA cree 361 Type TWA	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3	Total dust. ion, PI 311/73, as amende Form Dust.
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components	sphere and dangerous so Type TWA cree 361 Type TWA TWA Type	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value	Total dust. ion, PI 311/73, as amende Form Dust. Form
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components	sphere and dangerous se Type TWA cree 361 Type TWA Type TWA Type TWA	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3	Total dust. ion, PI 311/73, as amende Form Dust.
Cyprus. OELs. Control of factory atmos	sphere and dangerous so Type TWA cree 361 Type TWA TWA Type	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value	Total dust. ion, PI 311/73, as amende Form Dust. Form
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components norganic Dust Organic Dust Estonia. OELs. Occupational Exposure	sphere and dangerous so Type TWA cree 361 Type TWA Type TWA Type TWA TWA TWA TWA Limits of Hazardous Su	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. Dust. 2001, Annex), as amende
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components norganic Dust Organic Dust Estonia. OELs. Occupational Exposure	sphere and dangerous so Type TWA cree 361 Type TWA Type TWA Type TWA TWA TWA	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3	Form Dust. Form Dust. Dust. Dust. Dust.
Cyprus. OELs. Control of factory atmost Components Gilica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Gilica, amorphous (CAS 7631-86-9) Additional components norganic Dust Organic Dust Estonia. OELs. Occupational Exposure Components Gilica, amorphous (CAS 7631-86-9)	sphere and dangerous so Type TWA cree 361 Type TWA Type TWA Type TWA TWA TWA TWA Limits of Hazardous Su	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. Dust. 2001, Annex), as amende
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components Drganic Dust Drganic Dust Estonia. OELs. Occupational Exposure Components Silica, amorphous (CAS 7631-86-9)	sphere and dangerous so Type TWA cree 361 Type TWA Type TWA Type TWA TWA TWA Limits of Hazardous Su	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105 Value	Form Dust. Form Dust. Dust. 2001, Annex), as amende Form Fine dust, respiratory
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components norganic Dust Organic Dust Estonia. OELs. Occupational Exposure Components Silica, amorphous (CAS 7631-86-9) Additional components	sphere and dangerous set Type TWA cree 361 Type TWA Type TWA TWA TWA Limits of Hazardous Su Type TWA	10 mg/m3 ubstances in factories regulativalue 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105 Value 2 mg/m3	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. /2001, Annex), as amende Form Fine dust, respiratory fraction
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components Inorganic Dust Cyganic Dust Estonia. OELs. Occupational Exposure Components Silica, amorphous (CAS 7631-86-9) Additional components Inorganic Dust Components	sphere and dangerous so Type TWA cree 361 Type TWA Type TWA TWA TWA Limits of Hazardous Su Type TWA Type	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105 Value 2 mg/m3 Value	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. /2001, Annex), as amende Form Fine dust, respiratory fraction Form
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components Drganic Dust Cstonia. OELs. Occupational Exposure Components Silica, amorphous (CAS 7631-86-9) Additional components Finland. Workplace Exposure Limits	sphere and dangerous so Type TWA cree 361 Type TWA Type TWA TWA TWA Limits of Hazardous Su Type TWA Type	10 mg/m3 ubstances in factories regulativalue 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105 Value 2 mg/m3 Value 5 mg/m3	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. /2001, Annex), as amende Form Fine dust, respiratory fraction Form
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components Proganic Dust Components Silica, amorphous (CAS 7631-86-9) Additional Components Silica, amorphous (CAS 7631-86-9) Additional components Proganic Dust Silica, amorphous (CAS 7631-86-9) Additional components Silica, amorphous (CAS 7631-86-9) Additional Components Silica, amorphous (CAS 7631-86-9) Components Silica, amorphous (CAS 7631-86-9) Components Silica, amorphous (CAS 7631-86-9) Components Silica, amorphous (CAS 7631-86-9)	Type TWA Type TWA Type TWA Type TWA TWA TWA TWA Limits of Hazardous Su Type TWA Type TWA Type TWA Type TWA	10 mg/m3 ubstances in factories regulat Value 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105 Value 2 mg/m3 Value 5 mg/m3 10 mg/m3	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. /2001, Annex), as amende Form Fine dust, respiratory fraction Form
Cyprus. OELs. Control of factory atmost Components Silica, amorphous (CAS 7631-86-9) Czech Republic. OELs. Government De Components Silica, amorphous (CAS 7631-86-9) Additional components norganic Dust Organic Dust Estonia. OELs. Occupational Exposure Components Silica, amorphous (CAS 7631-86-9) Additional components	sphere and dangerous set Type TWA cree 361 Type TWA Type TWA TWA TWA Limits of Hazardous Su Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type	10 mg/m3 ubstances in factories regulativalue 2 mg/m3 Value 4 mg/m3 Value 10 mg/m3 5 mg/m3 bstances (Regulation No. 105 Value 2 mg/m3 Value 5 mg/m3 10 mg/m3 Value	Total dust. ion, PI 311/73, as amende Form Dust. Form Dust. Dust. /2001, Annex), as amende Form Fine dust, respiratory fraction Form

France. Inresnoid Limit Components	Values (VLEP) for Occupational Exposure to C Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	VME	5 mg/m3	Respirable fraction.
Regulatory status:	Regulatory binding (VRC)		
		10 mg/m3	Inhalable fraction.
Regulatory status:	Regulatory binding (VRC)		
Additional components	Туре	Value	Form
Inorganic Dust	VME	10 mg/m3	
Regulatory status:	Indicative limit (VL)		
Organic Dust	VME	5 mg/m3	Respirable fraction.
Regulatory status:	Regulatory binding (VRC)		
		10 mg/m3	Inhalable fraction.
Regulatory status:	Regulatory binding (VRC)		
Germany. DFG MAK List in the Work Area (DFG)	t (advisory OELs). Commission for the Investiga	ation of Health Hazard	s of Chemical Compour
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	0,5 mg/m3	Respirable fraction.
Additional components	Туре	Value	Form
Inorganic Dust	TWA	4 mg/m3	Inhalable dust.
Organic Dust	TWA	4 mg/m3	Inhalable dust.
Germany, TRGS 900, Lin	nit Values in the Ambient Air at the Workplace		
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	AGW	4 mg/m3	Inhalable fraction.
Additional components	Туре	Value	Form
Inorganic Dust	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Organic Dust	AGW	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Granca OELs (Daores N	o. 90/1999, as amended)		•
Additional components	Type	Value	Form
Inorganic Dust	TWA	5 mg/m3	Respirable.
•		10 mg/m3	Inhalable
. .	ecree on Chemical Safety of Workplaces	Ŭ	
Additional components	Туре	Value	
	TWA	10 mg/m3	
Inorganic Dust			
Inorganic Dust			
•	on 390/2009 on Pollution Limits and Measures t	to Reduce Pollution at	the Workplace. as ame
•	on 390/2009 on Pollution Limits and Measures t Type	to Reduce Pollution at Value	the Workplace, as ame Form
Iceland. OELs. Regulatio			

Ireland. Occupational Exposure L Components	imits. Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	6 mg/m3	Total inhalable dust.
·		2,4 mg/m3	Respirable dust.
Additional components	Туре	Value	Form
norganic Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
Organic Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
_atvia. OELs. Occupational expo			ent
Components	Туре	Value	
Silica, amorphous (CAS 7631-86-9)	TWA	1 mg/m3	
Additional components	Туре	Value	Form
Organic Dust	TWA	5 mg/m3	Dust.
Lithuania. OELs. Limit Values for	r Chemical Substances, Gener	al Requirements	
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Additional components	Туре	Value	Form
norganic Dust	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Organic Dust	TWA	10 mg/m3	
Norway. Administrative Norms fo Components	r Contaminants in the Workpla Type	ace Value	Form
Silica, amorphous (CAS	TLV	1,5 mg/m3	Respirable dust.
7631-86-9)	TLV	1,5 mg/m3	respirable dust.
Romania. OELs. Protection of wo Additional components	rkers from exposure to chemi Type	cal agents at the workplace Value	Form
norganic Dust	TWA	10 mg/m3	Inhalable fraction.
Slovakia. OELs. Regulation No. 3	—	n of health in work with chemi Value	ical agents Form
Additional components	Type		
norganic Dust	TWA	10 mg/m3	Б
Organic Dust	TWA	10 mg/m3	Dust.
Slovenia. OELs. Regulations con Official Gazette of the Republic o			
Components	Туре	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m3	Inhalable fraction.
Additional components	Туре	Value	Form
	TWA	10 mg/m3	Inhalable fraction.
Inorganic Dust		1,25 mg/m3	Respirable fraction.
Organic Dust	TWA	10 mg/m3	Inhalable fraction.

Spain. Occupational Expos Components	Туре	Value	
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.
Additional components	Туре	Value	Form
Inorganic Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Organic Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Switzerland. SUVA Grenzy Components	verte am Arbeitsplatz Type	Value	
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m3	
Additional components	Туре	Value	Form
Inorganic Dust	TWA	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Organic Dust	TWA	3 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
UK. EH40 Workplace Expo	sure Limits (WELs)		
Additional components	Type	Value	Form
Inorganic Dust	TWA	4 mg/m3	Respirable dust.
		4 mg/m3	Respirable.
		10 mg/m3	Inhalable
		10 mg/m3	Inhalable dust.
Organic Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
ological limit values	No biological exposure limits noted f	or the ingredient(s).	
commended monitoring occdures	Follow standard monitoring procedu	res.	
rived no effect levels NELs)	Not available.		
edicted no effect ncentrations (PNECs)	Not available.		
. Exposure controls	\(\langle - 4\rangle - \langle \)	outhorism and the second	
propriate engineering ntrols	Ventilation should be sufficient to eff- that may be generated during handli		uliqup of any dusts or fume
	s, such as personal protective equipn		
General information	Personal protection equipment shou discussion with the supplier of the pe		CEN standards and in
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).	
Skin protection			
- Hand protection	Gloves are recommended for prolonged use. When handling hot material, use heat resistant gloves.		
- Other	Wear suitable protective clothing and gloves.		
Respiratory protection	If ventilation is insufficient, suitable respiratory protection must be provided.		
Thermal hazards	Wear appropriate thermal protective	•	
giene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
vironmental exposure ntrols	Emissions from ventilation or work process equipment should be checked to ensure they com with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. Avoid release to the environment.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Dense Pellet, Crumb, Powder, **Form**

Colour Clear, White, Odour Odourless. Melting point/freezing point Not available. Boiling point or initial boiling Not applicable.

point and boiling range

Flammability The product is not flammable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not applicable.

Not applicable.

Explosive limit - lower (%)

temperature

Not applicable.

Explosive limit - upper

Not applicable.

(%)

Not applicable.

Explosive limit - upper (%)

temperature

Not applicable.

Flash point Not applicable. **Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not applicable. pН Not available. Kinematic viscosity

Solubility

Insoluble. Solubility (water) Partition coefficient Not available.

(n-octanol/water) (log value)

Vapour pressure Not applicable.

Density and/or relative density

Relative density > 0.88 - < 0.95 at 20°C

Vapour density Not applicable. Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Evaporation rate Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

Risk of self-heating and self-ignition under long term exposure to high temperatures. No

dangerous reaction known under conditions of normal use.

Avoid exposure to high temperatures or direct sunlight. 10.4. Conditions to avoid

Strong acids, alkalies and oxidizing agents. 10.5. Incompatible materials

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons. decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation of vapours/fumes generated by heating this product may cause respiratory irritation Inhalation

with throat discomfort, coughing or difficulty breathing. Inhalation of dusts may cause respiratory

irritation.

Skin contact No adverse effects due to skin contact are expected.

Health injuries are not known or expected under normal use. Dust in the eyes will cause irritation. Eye contact

Fumes released during thermal processing may cause eye irritation.

Health injuries are not known or expected under normal use. Ingestion

Symptoms Direct contact with eyes may cause temporary irritation.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified. **Acute toxicity**

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) USP Systemic Toxicity Study in Mice - Extract:. No significant and/or

relevant adverse effects reported.; for a representative substance.

Skin corrosion/irritation Not classified.

> **Irritation Corrosion - Skin** USP Intracutaneous Study in Rabbits – Extract:, for a representative substance

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS)

Result: Negative.

Serious eye damage/eye

No data available.

irritation

Respiratory sensitisation No data available. Skin sensitisation Not classified.

Sensitisation

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) Tests for irritation and skin sensitization, for a representative

substance.

Result: Negative.

Notes: ISO 10993-10 Guinea Pig Maximization Sensitization

Test

Germ cell mutagenicity Not classified

Mutagenicity

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) In Vitro Bacterial Mutagenicity Study in E.Coli and

S. Typhimurium from extract, for a representative substance.

Result: Negative.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS)

In Vitro Haemolysis Study in Red Blood Cells, Japanese MHLW:, No significant and/or relevant adverse effects reported.; for a representative substance. ISO 10993-5 Elution Method In Vitro Cytotoxicity Study, No significant and/or relevant adverse effects reported.; for a representative substance. USP Muscle Implantation Study in Rabbits - 7 Day:, No significant and/or relevant adverse effects reported.; for a representative substance.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components **Test Results**

Styrene-Ethylene/Butylene-Styrene Polymer (SEBS) (CAS 66070-58-4)

Aquatic

Acute

Fish LC50 Rainbow trout > 1000 mg/l, 96 hr

12.2. Persistence and

degradability

Not inherently biodegradable.

The product is not bioaccumulating. 12.3. Bioaccumulative potential

Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Not available. 12.7. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations.

Contaminated packaging Not applicable.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods.

name

Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned. 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

IMDG

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant

Not assigned. Not assigned. 14.6. Special precautions

for user

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

Water hazard class AwSV: WGK 1 for the following products: G4609,G4610.

Water hazard class AwSV: Non-hazardous to water, ID number 766 for the following products: A1535,A1536,A1537,G1633,G1640,G1641,G1642,G1643,G1645,G1650,G1651,G1652,G1654,G1

657,G1660,G1726,E1830.

SECTION 16: Other information

List of abbreviationsNot available.ReferencesNot available.Information on evaluationNot applicable.

method leading to the classification of mixture

None.

Full text of any statements, which are not written out in full

under sections 2 to 15

Revision information Product and Company Identification: Product Codes **Training information** Follow training instructions when handling this material.

Version Information Version #: 4,0

Issue date: 17-August-2017 Revision date: 5-March-2025

Supersedes date: 12-December-2022

Disclaimer

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Revision Date: 3/5/2025