SDS PREP DATE: 7/3/2023

SDS REVISION DATE: 7/3/2023

Product ID: GMS1131CN, GMS1131DR

0011



GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA 23462 (757) 473-1467

24 Hour Emergency - 1-800-424-9300 CHEM TREC

This Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this SDS must be given to the buyer or the information incorporated in your SDS.

## Section 1: Company and Product Identification \_\_\_\_\_

GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA 23462 (757) 473-1467

24 Hour Emergency - 1-800-424-9300 CHEM TREC

Product ID: GMS1131CN, GMS1131DR

Product Name: HARD PARTS

Intended Use: DEGREASING

## Section 2: Hazard(s) Identification

Product Signal Word: WARNING

Physical Hazard Classification: Non Hazardous

#### **Physical Hazard Precautionary Statements:**

Causes skin and eye irritation.

IF ON SKIN: Gently wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

#### Health Hazard Classification(s): Acute Toxicity - Oral - Level 5

### Health Hazard Statements:

Acute Toxicity - Dermal - Level 4

Acute Toxicity - Inhalation - Level 5

Skin Corrosion/Irritation -Level 3

Eye Damage/Irritation -Level 2B

May be harmful if swallowed.

Harmful in contact with skin.

Causes mild skin irritation.

Causes eye irritation.

May be harmful if inhaled.

#### First-Aid Statement(s):



SDS PREP DATE: 7/3/2023 SDS REVISION DATE: 7/3/2023

Product ID: GMS1131CN, GMS1131DR

24 Hour Emergency - 1-800-424-9300 CHEM TREC

GMS Industrial Supply, Inc.

Virginia Beach, VA 23462

212 Denn Lane

(757) 473-1467

IF ON SKIN: Wash with plenty of water.

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor/physician if you feel unwell.

See Section 12 if specific treatment is applicable.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

#### Handling and Storage Statement(s):

#### Exposure Control / Personal Protection Statement(s):

Wash hands and exposed areas thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

#### **Disposal Statement(s):**

Dispose of contents/container in accordance with local regulations.

#### Section 3: Product Composition

		CAS#	% Range		PEL	TLV
	SULFONATED SODIUM SALTS	147732-60-3	1%	5%	NOT ESTABLISHED	NOT ESTABLISHED
	SODIUM METASILICATE	6834-92-0	1%	5%	15 MG/M3	10 MG/M3
	TETRAPOTASSIUM PYROPHOSPATE	7320-34-5	1%	5%	NOT DETERMINED	NOT DETERMINED
	INERT MATERIAL	7732-18-5	80%	90%	NOT ESTABLISHED	NOT ESTABLISHED
	ETHYLENE DIAMINE TETRA ACETATE	64-02-8	1%	5%	NOT DETERMINED	NOT DETERMINED
	ALCOHOL ETHOXYLATED	68439-51-0	1%	5%	N/D	N/D

Specific chemical identity and exact percentages are withheld as Trade Secret.

#### Section 4: First-Aid Measures

IF ON SKIN: Wash with plenty of water.

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER/doctor/physician if you feel unwell.

See Section 12 if specific treatment is applicable.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

SDS PREP DATE: 7/3/2023

SDS REVISION DATE: 7/3/2023

Product ID: GMS1131CN, GMS1131DR

GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA 23462 (757) 473-1467

24 Hour Emergency - 1-800-424-9300 CHEM TREC

THRESHOLD LIMIT VALUE: See Section III

EFFECTS OF OVER EXPOSURE: Irritation to skin and eyes.

EMERGENCY FIRST AID PROCEDURES:

SKIN: Wash with soap and water.
EYE: Flush with water for at least 15 minutes.
INHALATION: Remove to fresh air. See a physician if irritation persist.
ORAL: Call a physician. Do not induce vomiting.
ADDITIONAL: Contact with eyes will be painful and irritating. Prolonged or repeated contact with skin may cause irritation. Mist caused by manufacturing operations may irritate the nasal passages.

### Section 5: Fire-Fighting Measures

FIRE & EXPLOSIONS HAZARDS: Keep containers cool. Use equipment or shielding required to protect personnel against bursting, rupturing, venting containers.

FIRE FIGHTING EQUIPMENT: At elevated temperatures (above 120 F) containers may vent, rupture, or burst.

EXTINGUISHING MEDIA: Foam Dry Chemical, Carbon Dioxide.

### Section 6: Accidental Release Measures\_

SPILL PROCEDURES: Pick up free material for recycle/disposal.

WASTE DISPOSAL: Disposal should be in compliance with Federal, State and local laws.

## Section 7: Handling and Storage \_\_\_\_\_

VENTILATION PROCEDURE: Use adequate ventilation

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

RESPIRATORY PROTECTION: When applicable, wear a NIOSH approved respirator appropriate for the vapor or mist concentration at the point of use.

EYE PROTECTION: Safety glasses.

OTHER PROTECTION: None

### Section 8: Exposure Control / Personal Protection \_

Wash hands and exposed areas thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

VENTILATION PROCEDURE: Use adequate ventilation

SDS PREP DATE: 7/3/2023

SDS REVISION DATE: 7/3/2023

Product ID: GMS1131CN, GMS1131DR

GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA 23462 (757) 473-1467

24 Hour Emergency - 1-800-424-9300 CHEM TREC

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

RESPIRATORY PROTECTION: When applicable, wear a NIOSH approved respirator appropriate for the vapor or mist concentration at the point of use.

EYE PROTECTION: Safety glasses.

OTHER PROTECTION: None

### Section 9: Product Properties\_

Flash Point (CCP): NONE Boiling Point for Product: 200 F Vapor Pressure for Product: ND Vapor Density for Product: > 1 Specific Gravity: 1.06 V.O.C.: 0 Water Solubility: COMPLETE Appearance: Reddish/Pink Liquid PH: Neutral

## Section 10: Stability and Reactivity

INCOMPATIBILITY: Strong Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Sulfur dioxide, Hydrogen Sulfide, Nitrous Oxides and Ammoniacal Vapors.

POLYMERIZATION: Will not occur.

# Section 11: Toxicological Information\_\_\_\_\_

SODIUM METASILICATE 6834-92-0 The hazard of sodium metasilicates, by all routes, comes from its corrosivity caused by the high alcalinity.

Acute oral toxicity:	LD50 Rat : 600 - 1350 mg/kg
Inhalation:	Irritating to respiratory system
Eye:	Corrosive. May cause serious damage to eye, unless treated immediately
Skin:	Corrosive

ETHYLENE DIAMINE TETRA ACETATE ACID64-02-8Acute oral toxicity:LD50 Rat: 3030 mg/KgAcute dermal toxicity:LD50 Rabbit: >5000 mg/Kg

# Section 12: Ecological Information\_

SODIUM METASILICATE 6834-92-0 General consideration: soluble silicates upon dilution rapidly depolymerise into molecular species indistinguishable from natural dissolved silica. They

SDS PREP DATE: 7/3/2023

SDS REVISION DATE: 7/3/2023

#### Product ID: GMS1131CN, GMS1131DR

GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA 23462 (757) 473-1467

#### 24 Hour Emergency - 1-800-424-9300 CHEM TREC

combine with ions like Ca, Mg, Fe, Al and others to end up as insoluble compounds similar to constituents of natural soils. However, the pH of most undiluted silicate solutions is above acceptable limits for direct discharge into waterbodies. **Mobility:** not mobile **Biodegradability:** not applicable on inorganic substances **Accumulation:** no **ECOTOXICITY DATA:** LC50 Fish : 3185mg product/litre (by analogy with sodiumsilicate with MR 3.36, 35%) EC50 Bacteria : > 1000mg product/litre (by analogy with sodiumsilicate with MR 3.2, 35%) EC50 Daphnia: 4857mg product/litre (by analogy with sodiumsilicate with MR 3.2, 35%) ETHYLENE DIAMINE TETRA ACETATE ACID 64-02-8 Material is practically non-toxic to fish. Acute LC50 (flathead minnow) > 100 mg/L LC50 (bluegill) 1030 mg/L

ALCOHOL ETHOXYLATED PROPOXYLATED 68439-51-0 LC50 (water Flea): 72 ppm LC50 (flathead Minnow): 13 ppm

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified in Section III with an "\*". Additional ecological information is Not Determined.

### Section 13: Disposal Information\_

Dispose of contents/container in accordance with local regulations.

WASTE DISPOSAL METHOD: Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers can not be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

### Section 14: Transportation Information

DOT Proper Shipping Name: (not regulated)

### Section 15: Regulatory Information

	CAS#	PEL	TLV
SULFONATED SODIUM SALTS	147732-60-3	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM METASILICATE	6834-92-0	15 MG/M3	10 MG/M3
TETRAPOTASSIUM PYROPHOSPATE	7320-34-5	NOT DETERMINED	NOT DETERMINED
INERT MATERIAL	7732-18-5	NOT ESTABLISHED	NOT ESTABLISHED
ETHYLENE DIAMINE TETRA ACETATE	64-02-8	NOT DETERMINED	NOT DETERMINED
ALCOHOL ETHOXYLATED	68439-51-0	N/D	N/D

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified above with

SDS PREP DATE: 7/3/2023

SDS REVISION DATE: 7/3/2023

Product ID: GMS1131CN, GMS1131DR

GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA 23462 (757) 473-1467

24 Hour Emergency - 1-800-424-9300 CHEM TREC

an "\*"

All material components are listed in the U.S. TSCA inventory.

### Section 16: Other Information\_

Consumer Product Safety Act Certificaton.

This product was evaluated by the Company listed above and is certified to be in compliance with the provisions of the Consumer Product Safety Act, the Federal Hazardous Substances Act, and the Poison Prevention Packaging Act, as applicable. This product was manufactured at the location identified on the SDS. The date of manufacture is stamped on the product container. No testing is required to certify compliance with the above mentioned regulation.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.