

SAFETY DATA SHEET MA-109C & MA-110 RTU



1 – IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY UNDERTAKING

PRODUCT NAME: JAD MA-109C & MA-110RTU
 PRODUCT NUMBER: GMMA109C275TT, GMMA109CCN, GMMA109CDR, GMMA110RTUCN, GMMA110RTU275TT

SUPPLIER: GMS Industrial Supply, Inc.
 212 Denn Lane
 Virginia Beach, VA 23462
 (757) 473-1467

EMERGENCY TELEPHONE: (800) 424-9300 (Chemtrec- US)
 (703) 527-3887 (International – Call Collect)

2 - HAZARDS IDENTIFICATION

This product complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

CLASSIFICATION according to Regulation (EU) 1272/2008.:

Serious eye damage, Category 1
 Acute toxicity (Oral), Category 4
 Chronic aquatic toxicity, Category 3

3 – COMPOSITION /INFORMATION ON INGREDIENTS

Name	EC No.	CAS No.	Content %	Classification
Alcohols, C10-16, ethoxylated	Not known	68002-97-1	10-40%	H318, H302, H412, P280, P264, P270, P273, P305+P351+P338, P310, P301+P312, P330, P501

The Full Text for all H-Statements and P-Statement is displayed in Section 15

COMPOSITION COMMENTS

The data shown are in accordance with the latest EC Directives.

4- FIRST AID MEASURES

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Low hazard for usual industrial handling by trained personnel.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Although this is a water-based system, some people may be sensitive to some ingredients. These people may experience skin irritation, defatting and/or dermatitis. Eye contact with this product should be avoided. This may cause irritation and the eyes should be flushed with water for at least 15 minutes.

INGESTION HEALTH RISK AND SYMPTOMS OF EXPOSURE:

Preexisting eye, skin, heart, central nervous system and respiratory disorders may be aggravated by exposure to this product.

HEALTH HAZARDS (ACUTE AND CHRONIC):

Being a water-reducible system, health hazards are minimized. However, care must be exercised in its use. Breathing the vapors may irritate the nose and throat. Detectable amounts of chemicals or substances known to the state of California to cause cancer, birth defects, or other reproductive harm may be found in this product. Use care when handling chemical and petroleum products even though they are water reducible.

CARCINOGENICITY: NTP CARCINOGEN: N/A IARC MONOGRAPHS: N/A OSHA REGULATED: N/A

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE TO THIS PRODUCT:

Preexisting eye, skin, heart, central nervous system and respiratory disorders may be aggravated by exposure to this product.

EMERGENCY AND FIRST AID PROCEDURES:

Remove victim to fresh air and restore breathing if required. Call a physician if required. If breathing stops give artificial respiration. Keep person warm. Never give anything by mouth to an unconscious person. Do not induce vomiting. If spontaneous vomiting occurs, keep head below hips to prevent aspiration of liquid into the lungs.

5- FIRE FIGHTING PROCEDURES**EXTINGUISHING MEDIA:**

CO₂, Dry Chemical, Water Fog

SPECIAL FIREFIGHTING PROCEDURES:

Do not enter a confined area without full bunker gear including a positive-pressure NIOSH-approved self-contained breathing apparatus. Decomposition products may form toxic materials. Non-flammable

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Not known

6-ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS:**

Wear protective clothing as described in Section 8.

ENVIRONMENTAL PRECAUTIONS:

Spillages or uncontrolled discharges into watercourses must immediately be alerted to Environmental Agency or other appropriate regulatory authority.

SPILL CLEANUP METHODS:

Keep combustibles away from spilled material. Extinguish all ignition sources. Avoid sparks, open flames, and smoking. Ventilate. Absorb in vermiculite, dry sand, or earth and place into containers for disposal.

7-HANDLING AND STORAGE**USAGE PRECAUTIONS:**

Avoid spilling, skin and eyes contact. Use with adequate ventilation and avoid excessive exposure to chemical vapors. Use approved respirator if air contamination exceeds the accepted level.

STORAGE PRECAUTIONS:

Keep unused contents in original container and tightly closed lids. Store in a cool, dry and well-ventilated place and at an ambient Temperature not to exceeding above 120° F.

STORAGE CLASS:

Non - Flammable liquid storage.

8-EXPOSURE CONTROL/PERSONAL PROTECTION

Name	Workplace Exposure Limits	Remarks
Alcohols, C10-16, ethoxylated	ACGIH: Not Listed NIOSH: Not Listed OSHA-Final PELs: Not Listed	Consult local authorities for acceptable exposure limits

**PROTECTIVE EQUIPMENTS:****PROCESS CONDITIONS:****ENGINEERING MEASURES:****RESPIRATORY EQUIPMENT:****HANDPROTECTION:****EYE PROTECTION:****OTHER PROTECTION:****HYGIENE MEASURES:**

Provide eyewash station.

Provide adequate ventilation. Fully equipped spray booth is recommended to ensure the workers legal exposure limits are not exceeded.

Wear respirator with appropriate cartridge for organic solvents and chemicals.

Wear approved gloves such as Neoprene, Nitrile or Rubber types.

Wear splash-proof goggles.

Wear appropriate clothing to prevent any possible skin contact.

DO NOT SMOKE IN THE WORK AREA. Wash at the end of each work shift and before eating, drinking or smoking. Promptly remove contaminated clothing.

9- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Liquid
COLOR:	Light Yellow
ODOR:	Typical Detergent Odor
BOILING POINT:	> 212 °F
RELATIVE DENSITY:	1.004 g/mL
VAPOR PRESSURE:	< 1 (mm Hg)
VAPOR DENSITY:	> 1 (Air = 1)
EVAPORATION RATE:	As Water (BuAc = 1)
FLASH POINT:	> 200 ° F (Tag Closed Cup)
FLAMMABILITY LIMITS:	LOWER: NA UPPER: NA
SOLUBILITY VALUE (g/100g H ₂ O @ 20°C):	Complete
VOLATILE ORGANIC COMPOUND (VOC):	0.0001 g/L
pH:	6.57 – 7.57

10- STABILITY AND REACTIVITY**STABILITY:**

Stable

CONDITIONS TO AVOID:

Heat will coagulate product

INCOMPATIBILITY (MATERIALS TO AVOID):

Material very stable but may react with strong acids while in liquid form.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

N/A

HAZARDOUS POLYMERIZATION:

N/A

11- TOXICOLOGICAL INFORMATION

Alcohols, C10-16, ethoxylated (CAS#68002-97-1): Acute Dermal Toxicity: LD50 rabbit: > 2,000 mg/kg. Acute Inhalation Toxicity: LC50 value expected to exceed the saturated vapor concentration in air. Acute Oral Toxicity: LD50 rat: > 1,000 mg/kg. Skin Corrosion/Irritation: Primary irritation (rabbit): 24 hours; 4.4 (Max. score is 8.0). Eye Damage/Irritation: Primary Irritation (rabbit): 50.8 (Max. score is 110.0). Respiratory or skin sensitization: No data available. Germ cell mutagenicity: Genotoxicity in vitro: No data available. Genotoxicity in vivo: No data available. Assessment Mutagenicity: No data available. Reproductive toxicity: No data available. Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

12- ECOLOGICAL INFORMATION

Alcohols, C10-16, ethoxylated (CAS#68002-97-1): Aquatic toxicity: Harmful to aquatic life with long lasting effects. Toxicity to fish: LC50 (Poecilia reticulata (guppy)) 96 hours: 6.5 mg/l. Toxicity to aquatic invertebrates: EC50 (Daphnia) 48 hours: 2.3 mg/l. Toxicity to algae: EbC50 (Desmodesmus subspicatus (green algae)) 72 hours: 6.1 mg/l. Chronic toxicity to fish: EC10 (Pimephales promelas (fathead minnow)): 0.21 mg/l. Chronic toxicity to aquatic invertebrates: EC10 (Daphnia magna (Water flea)): 0.36 mg/l.

Biodegradation: Readily biodegradable – OECD Test Guideline 301B (28 d): 74%. Bioaccumulation: Unlikely. Mobility in soil: immobile.

13 – DISPOSAL CONSIDERATIONS

Any unused product or empty containers may be disposed of as non-hazardous in accordance with federal, state and local requirements. Re-evaluation of the product or wastes may be required at the time of disposal since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with State and Federal (40 CFR 262) hazardous waste regulations.

14 – TRANSPORT INFORMATION

DOT PROPER SHIPPING NAME:	NOT REGULATED
PRIMARY HAZARD CLASS/DIVISION:	Non-Hazardous By CFR 491712.101
UN/UA NUMBER:	N/A
PACKING GROUP:	N/A

IMO PROPER SHIPPING NAME:	NOT REGULATED
IMO UN CLASS:	N/A
IMO UN NUMBER:	N/A
IMO PACKING GROUP:	N/A
IMO LABEL:	N/A
IMO VESSEL STOWAGE:	N/A



GHS LABEL:

DANGER

CAUSES SERIOUS EYE DAMAGE. CAUSES SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL OR FATAL IF SWALLOWED AND ENTERS AIRWAYS. HARMFUL TO AQUATIC LIFE.

Refer to SDS for additional information on safe handling / use. - Keep out of reach of children. For Industrial Use Only.

Contains: Alcohols, C10-16, ethoxylated. This product contains one or more chemicals known to the State of California to cause cancer, birth defects, and/or other reproductive harm.

Hazards: H302: Harmful if swallowed. H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s): P280: Wear protective gloves/protective clothing/eye protection/face protection. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician. P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330: Rinse mouth.

First Aid: **Inhalation** - Move person to fresh air. If symptoms occur obtain medical attention. **Skin Contact** - Wash affected skin with soap and water. If symptoms occur obtain medical attention. **Eye Contact** - If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. If symptoms occur obtain medical attention. **Ingestion** - Do not induce vomiting. Drink one glass of water. If symptoms occur obtain medical attention

15 – REGULATORY INFORMATION

Hazards (H-Statements):

- H302: Harmful if swallowed.
H318: Causes serious eye damage.
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements (P-Statements):

- P280: Wear protective gloves/protective clothing/eye protection/face protection.
P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P273: Avoid release to the environment.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician. P301+312:
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330: Rinse mouth.

16- DISCLAIMER

Above information is based on data supplied to us and is believed to be correct. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since the data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its use. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose. It is the user's obligation to determine the safe use of it.